



Place the corners of the Pavilion on its spots




pack 2. 8x screw M8x20 8x wide washer ø8


!!! Do not tighten the screws fully !!!




During assembly use simple portable sawhorse !!! only place on inner frame parts !!!



inside view



First 1/4 roof, use wooden log to hold




pack 3.

(4x) 13x screw M8x25
13x nut M8
26x washer ø8


Place the second 1/4 roof

!!! Do not tighten the screws fully !!!
If the gap is too wide, use temporarily screws M8x30 (included in pack)

Working on the top of the roof




Fill the gaps with silicone





Apply 2 layers of the tape



Use masking tape to mask edges of the tape and paint 2 coats of the 2K paint RAL7024



Final assembly


Place the roof over the basic frame and secure with screws


pack 1.


12x screw M12x100

12x washer Ø12


!!! NOW tighten all screws fully !!!














16x wide washer ø8




Water gutters

Always use silicone between gutters parts
Use 2 rivets to each connection between parts


pack 4.
Rivets ø4x10






Use 2 rivets to each connection between parts

Cut the connection tube












Drill the threads M8 into the upright for the downpipe holders








pack 2. 16x screw M8x20 16x wide washer ø8




First install 4 fascia sets
as last place the edges
bend the edges of it to secure position






Lightning protection

14





Grounding rod MUST be digged into the ground fully and placed as far from Pavilion as possible



